Bad River Utility WWTP WI-0036587-4

FORM 2A

### NPDES FORM 2A APPLICATION OVERVIEW

NPDES

### **APPLICATION OVERVIEW**

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

### BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

### SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

### ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

FACILITY NAME AND PERMIT NUMBER:

BR WWTP WI-0036587-4

# BASIC APPLICATION INFORMATION

PAR	T A. BASIC APPLI	ICATION INFORMATION FOR ALL APPLICANTS:
	the second of th	complete questions A.1 through A.8 of this Basic Application Information packet.
A.1.	Facility Information.	· · · · · · · · · · · · · · · · · · ·
	Facility name	Bad River Utility   New Odanah WWTP PO Box 39   54173 Birch St
	Mailing Address	PO Box 39 / 54173 Birch St Odanoh, INT 5486/
	Contact person	Philip Livingston
	Title	Manager
	Telephone number	715-685-7878
	Facility Address (not P.O. Box)	54173 Birch St Odanah, WI 54861
A.2.	Applicant Informati	ion. If the applicant is different from the above, provide the following:
	Applicant name	
	Mailing Address	
	Contact person	
	Title	
	Telephone number	
	owner	e owner or operator (or both) of the treatment works? operator
	Indicate whether co	orrespondence regarding this permit should be directed to the facility or the applicant.  applicant
A.3	. Existing Environm works (include state	nental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment e-issued permits).
	NPDES	I-0036587-4 PSD
	UIC	Other
	RCRA	Other
A.4	each entity and, if k etc.).	n Information. Provide information on municipalities and areas served by the facility. Provide the name and population o known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private,
	Name	Population Served Type of Collection System Ownership
	Bad River u	UWTP 639 Separate with Bad River Tribe Gravity & Lift Stations

Name	Population Served	Type of collection dystem	Ownership
Bad River WWTP	<u> </u>	separate with	Bad River Tribe
		Gravity 4 Lift Stations	
			.,

Total population served

treatment works?

	NAME AND PERMIT NUMBER:	Form Approved 1/14/9 OMB Number 2040-00						
	If yes, describe the mean(s) by which the wastewater from the treatment works is disc works (e.g., tank truck, pipe).	narged or transported to the other treatment						
•	If transport is by a party other than the applicant, provide:							
	Transporter name:							
	Mailing Address:							
	Contact person:							
	Title:							
	Telephone number:							
	For each treatment works that receives this discharge, provide the following:							
	For each treatment works that receives this discharge, provide the following:  Name:							
	For each treatment works that receives this discharge, provide the following:  Name:  Mailing Address:							
	For each treatment works that receives this discharge, provide the following:  Name:  Mailing Address:  Contact person:							
	For each treatment works that receives this discharge, provide the following:  Name:  Mailing Address:  Contact person:  Title:							
	For each treatment works that receives this discharge, provide the following:  Name:  Mailing Address:  Contact person:  Title:  Telephone number:	discharge.						
e.	For each treatment works that receives this discharge, provide the following:  Name:  Mailing Address:  Contact person:  Title:  Telephone number:  If known, provide the NPDES permit number of the treatment works that receives this Provide the average daily flow rate from the treatment works into the receiving facility	discharge mgr						
	For each treatment works that receives this discharge, provide the following:  Name:  Mailing Address:  Contact person:  Title:  Telephone number:  If known, provide the NPDES permit number of the treatment works that receives this Provide the average daily flow rate from the treatment works into the receiving facility.	discharge mgr						

Is disposal through this method \_\_\_\_\_ continuous or \_\_\_\_ intermittent?

FACILITY NAME AND PERMIT NUMBER:

WI-0036587-4

Form Approved 1/14/99 OMB Number 2040-0086

Bad River WWTP (SBRS)

### WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

9. D	es	cription of Outfall.			
a	. '	Outfall number	009		<i>-</i> 11
b	,	Location	New Odana	h	5486/
			(City or town, if applicable)		(Zip Code) U I
			(County) 4 36 41	74" N	(State) 90° 40′ 56.//"W
			(Latitude)	- 4	(Longitude)
c		Distance from shore (if	applicable)		t. (E Bof the SE Ky Sec. TYBN, RZW)
d	i.	Depth below surface (it	fapplicable)		n. 748N, K2W)
€	€.	Average daily flow rate		0.062	mgd
f	•		either an intermittent or a		
		periodic discharge?		Yes	No (go to A.9.g.)
		If yes, provide the follo	wing information:		
		Number of times per ye	ear discharge occurs:	Late Late Control of the Control of	
		Average duration of ea	ich discharge:		
		Average flow per disch	narge:	A. 10.404	mgd
		Months in which discha	arge occurs:	AND THE RESERVE OF THE PERSON	***************************************
!	g.	Is outfall equipped with	n a diffuser?	Yes	No
.10.	De	scription of Receiving	Waters.		
	a.	Name of receiving wat	ter	Bad River	
	b.	Name of watershed (if	fknown)	Lower Ban	River Watershed
					9m-m
		United States Soil Cor	nservation Service 14-digit v	vatershed code (if Known):	
	c.	Name of State Manag	ement/River Basin (if knowr	n):	N/A
		United States Geologi	ical Survey 8-digit hydrologid	c cataloging unit code (if knowr	1):
	d.		eiving stream (if applicable)	• • • • • • • • • • • • • • • • • • •	
		acute	cfs	chronic	cfs
	e.	Total hardness of rec	eiving stream at critical low	flow (if applicable):	mg/l of CaCO <sub>3</sub>

FACILITY NAME AND PE	KWII NUME						CIMID I	Number 2040-0086
A.11. Description of Trea	tment.			, I				M / M
<ul> <li>a. What levels of tr</li> </ul>	eatment are	provided? C	heck all that a	pply.				
/	nary		Secon					
Adv	anced		Other	r. Describe:				A STATE OF THE STA
b. Indicate the follo	wing remov	al rates (as a	applicable):					
Design BOD <sub>s</sub> re						85	%	
Design SS reme		6			and a decided and a second	8.5	%	
_					<b>2000</b>		%	
Design P remov							^%	
Design N remov	/al				<del>Kalenta</del>			
Other					MANAGEMENT -		%	
c. What type of di	sinfection is		effluent from the	his outfall? If disin	fection varies b			
If disinfection is	by chlorinat	•				Ye:	s	No
						Ye	s V	No
d. Doos the treets	ieni piani na	ive postacio						
parameters. Provi discharged. Do n collected through	formation. de the indic of include in	All Applica ated effluer aformation of anducted us	nts that disch nt testing requ on combined ling 40 CFR Po	ired by the perm sewer overflows art 136 methods. irements for stan	itting authorit in this sectior In addition, t dard methods	y <u>for each o</u> n. All inform his data mu for analyte:	ation reported n st comply with 0 s not addressed	a for the following hich effluent is nust be based on data NA/QC requirements by 40 CFR Part 136, one-half years apart.
A.12. Effluent Testing Ir parameters. Provi discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer aformation of anducted us	nts that disch nt testing requ on combined ing 40 CFR Pa QA/QC requi be based on	uired by the perm sewer overflows art 136 methods. irements for stan at least three sau	itting authorit in this sectior In addition, t dard methods	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	utfall through w ation reported n st comply with C s not addressed re than four and	nich effluent IS lust be based on data lA/QC requirements by 40 CFR Part 136, one-half years apart.
A.12. Effluent Testing Ir parameters. Provi discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer nformation of anducted us appropriate g data must	nts that disch nt testing requ on combined ling 40 CFR Po QA/QC requi be based on	uired by the perm sewer overflows art 136 methods. irements for stan at least three sai	itting authorit in this section In addition, ti dard methods mples and mu	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	nutfall through wation reported n st comply with C s not addressed re than four and	nich emuent is nust be based on data hA/QC requirements by 40 CFR Part 136. one-half years apart.
A.12. Effluent Testing Ir parameters. Provi discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer nformation of anducted us appropriate g data must	nts that disch nt testing requ on combined ing 40 CFR Pa QA/QC requi be based on	uired by the perm sewer overflows art 136 methods. irements for stan at least three sau	itting authorit in this sectior In addition, t dard methods	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	utfall through w ation reported n st comply with C s not addressed re than four and	nich effluent IS lust be based on data lA/QC requirements by 40 CFR Part 136, one-half years apart.
A.12. Effluent Testing Ir parameters. Provi discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer nformation inducted us appropriate g data must	nts that disch nt testing requ on combined ling 40 CFR Po QA/QC requi be based on	uired by the perm sewer overflows art 136 methods. irements for stan at least three sai	itting authorit in this section In addition, ti dard methods mples and mu	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	nutfall through wation reported n st comply with C s not addressed re than four and	nich emuent is nust be based on data hA/QC requirements by 40 CFR Part 136. one-half years apart.
A.12. Effluent Testing Ir parameters. Provi discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff Outfall number:	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer information inducted us appropriate g data must	nts that disched testing requesting 40 CFR Properties of the prope	uired by the perm sewer overflows art 136 methods. irements for stan at least three said alley VALUE Units	itting authorit in this section In addition, ti dard methods mples and mu	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	nutfall through wation reported n st comply with C s not addressed re than four and	nich emuent is nust be based on data hA/QC requirements by 40 CFR Part 136. one-half years apart.
A.12, Effluent Testing Ir parameters. Provi discharged. Do n collected through of 40 CFR Part 13: At a minimum, eff Outfall number: PARAMET	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer of the formation of the following distribution of the following data must	nts that disched testing requesting 40 CFR Paragraph of the passed on MAXIMUM DAVIDE COMMAXIMUM DAVID COMMAXIMUM DAVID C	uired by the perm sewer overflows art 136 methods. irements for stan at least three sai	itting authorit in this section In addition, ti dard methods mples and mu	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	nutfall through wation reported n st comply with C s not addressed re than four and	nich emuent is nust be based on data hA/QC requirements by 40 CFR Part 136. one-half years apart.
A.12. Effluent Testing Ir parameters. Providischarged. Do no collected through of 40 CFR Part 13: At a minimum, eff Outfall number:  PARAMET  PH (Minimum)  PH (Maximum)  Flow Rate  Temperature (Winter)	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer information inducted us appropriate g data must	nts that disched testing requesting 40 CFR Properties of QA/QC requisible based on MAXIMUM DAVAIUE	uired by the perm sewer overflows art 136 methods. irements for stan at least three said alley VALUE Units	itting authorit in this section In addition, ti dard methods mples and mu	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	nutfall through wation reported n st comply with C s not addressed re than four and	nich emuent is nust be based on data hA/QC requirements by 40 CFR Part 136. one-half years apart.
A.12, Effluent Testing Ir parameters. Providischarged. Do n collected through of 40 CFR Part 13: At a minimum, eff  Outfall number:  PARAMET  PH (Minimum)  pH (Maximum)  Flow Rate  Temperature (Winter)	formation. de the indic ot include it analysis co and other luent testing	All Applica ated effluer nformation inducted us appropriate g data must	nts that disched testing requesting 40 CFR Property of QA/QC requisions be based on WAXIMUM DAVIDE TO THE TESTING TO THE TESTI	uired by the perm sewer overflows art 136 methods. irements for stan at least three sate	itting authorit in this section In addition, ti dard methods mples and mu	y <u>tor each o</u> n. All inform his data mu: for analytes st be no mo	nutfall through wation reported n st comply with C s not addressed re than four and	nich emuent is nust be based on data hA/QC requirements by 40 CFR Part 136. one-half years apart.
A.12. Effluent Testing Ir parameters. Providischarged. Do no collected through of 40 CFR Part 13: At a minimum, eff Outfall number:  PARAMET  PH (Minimum)  PH (Maximum)  Flow Rate  Temperature (Winter)	formation. de the indic of include it analysis co s and other luent testing	All Applica ated effluer of the formation of the following distribution of the following data must a following data must be formation of the following data and a following data are determined as formation of the following data and a following data are determined as formation of the fol	nts that disched testing requesting 40 CFR Property of QA/QC requisions be based on WAXIMUM DAVIDE TO THE TESTING TO THE TESTI	uired by the perm sewer overflows art 136 methods. irements for stan at least three said and the sewer overflows.  AILY VALUE  Units  s.u.  s.u.  MCD	itting authorit in this section In addition, ti dard methods mples and mu	y tor each o	nutfall through wation reported n st comply with C s not addressed re than four and	nich emuent is nust be based on data hA/QC requirements by 40 CFR Part 136. one-half years apart.
A.12. Effluent Testing Ir parameters. Providischarged. Do nocollected through of 40 CFR Part 13: At a minimum, eff  Outfall number:  PARAMET  PH (Minimum)  PH (Maximum)  Flow Rate  Temperature (Winter)  Temperature (Summer)  * For pH please re	formation. de the indic of include it analysis co s and other luent testing	All Applica ated effluer of the formation of the following distribution of the following data must a following data must be formation of the following data and a following data are determined as formation of the following data and a following data are determined as formation of the fol	nts that disched testing requesting 40 CFR Property of AMAXIMUM DAILY	uired by the perm sewer overflows art 136 methods. irements for stan at least three said and the sewer overflows.  AILY VALUE  Units  s.u.  s.u.  MCD	itting authorit in this section In addition, ti dard methods mples and mus	y tor each o	ANALYTICAL METHOD	nich emiuent is nust be based on data NA/QC requirements by 40 CFR Part 136. one-half years apart.  UE  Number of Samples
A.12. Effluent Testing Ir parameters. Providischarged. Do nocollected through of 40 CFR Part 13: At a minimum, eff  Outfall number:  PARAMET  PH (Minimum)  PH (Maximum)  Flow Rate  Temperature (Winter)  Temperature (Summer)  * For pH please re	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer formation inducted us appropriate g data must appropriate g man and a m	nts that disched testing requestion combined ing 40 CFR Properties of the properties	aired by the perm sewer overflows art 136 methods. irements for stan at least three sat least least three Sat least le	itting authorit in this section In addition, ti dard methods inples and mus  Value	y tor each o  All inform his data mus for analytes st be no mo  AVEF  HARGE  Number of Samples	ANALYTICAL METHOD	nich effluent is nust be based on data lA/QC requirements by 40 CFR Part 136, one-half years apart.  UE  Number of Samples  ML / MDL
A.12. Effluent Testing Ir parameters. Providischarged. Do n collected through of 40 CFR Part 13: At a minimum, eff  Outfall number:  PARAMET  PH (Minimum)  PH (Maximum)  Flow Rate  Temperature (Winter)  * For pH please re  POLLUTANT	formation. de the indic of include it analysis co and other luent testing	All Applica ated effluer formation inducted us appropriate g data must OD A um and a maximum and a m	nts that disched testing requestion combined ing 40 CFR Properties of the properties	aired by the perm sewer overflows art 136 methods. irements for stan at least three sate and the sewer overflows.  Ally VALUE  Units  S.U.  S.U.  AUC D	itting authorit in this section In addition, ti dard methods inples and mus  Value	y tor each o  n, All inform his data mu for analyte st be no mo  AVEF	ANALYTICAL METHOD	nich effluent is nust be based on data lA/QC requirements by 40 CFR Part 136, one-half years apart.  UE  Number of Samples  ML / MDL
A.12. Effluent Testing Ir parameters. Providischarged. Do no collected through of 40 CFR Part 13: At a minimum, eff Outfall number:  PARAMET  PH (Minimum)  PH (Maximum)  Flow Rate  Temperature (Winter)  Temperature (Summer)  * For pH please re  POLLUTANT	oformation. de the indicate include in analysis costs and other luent testing	All Applica ated effluer formation inducted us appropriate g data must appropr	nts that disched testing requested to combined the combined of	AILY VALUE  Units  s.u.  s.u.  AVERAGI  Conc.	itting authorit in this section In addition, ti dard methods in the section In addition, ti dard methods in ples and must  Value  E DAILY DISCI  Units	y tor each o  A All inform his data mus for analytes st be no mo  AVEF  HARGE  Number of Samples	ANALYTICAL METHOD	nich effluent is nust be based on data lA/QC requirements by 40 CFR Part 136, one-half years apart.  UE  Number of Samples  ML / MDL
A.12, Effluent Testing Ir parameters. Providischarged. Do n collected through of 40 CFR Part 13: At a minimum, eff  Outfall number:  PARAMET  PH (Minimum)  pH (Maximum)  Flow Rate  Temperature (Winter)  Temperature (Summer)  * For pH please re  POLLUTANT  BIOCHEMICAL OXYGEN	oformation. de the indice include in analysis costs and other luent testing.  ER  OORT a minim  OORT a minim  BOD-5	All Applica ated effluer formation inducted us appropriate g data must appropriate g man and a m	nts that disched testing requestion combined ing 40 CFR Properties of QA/QC requisions be based on MAXIMUM DAILY CHARGE  Units  OMPOUNDS.	AILY VALUE  Units  s.u.  s.u.  AVERAGI  Conc.	itting authorit in this section In addition, ti dard methods mples and mus  Value  E DAILY DISCI  Units	y tor each o  All inform his data mus for analytes st be no mo  AVEF  HARGE  Number of Samples	ANALYTICAL METHOD	ML / MDL

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
BASIC APPLICATION INFORMATION	
PART B. ADDITIONAL APPLICATION INFORMATION FOR APPL EQUAL TO 0.1 MGD (100,000 gallons per day).	LICANTS WITH A DESIGN FLOW GREATER THAN OR
All applicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 thre	ough B.6. All others go to Part C (Certification).
B.1. Inflow and Infiltration. Estimate the average number of gallons per date 13.000 gpd	y that flow into the treatment works from inflow and/or infiltration.
Briefly explain any steps underway or planned to minimize inflow and inf  THS Project RE-15-J60 to invest  and Construction phase to Fix	iltration.  Ingate where III is occurring
<b>B.2.</b> Topographic Map. Attach to this application a topographic map of the a This map must show the outline of the facility and the following informati the entire area.)	area extending at least one mile beyond facility property boundaries. on. (You may submit more than one map if one map does not show
a. The area surrounding the treatment plant, including all unit processes	
b. The major pipes or other structures through which wastewater enter treated wastewater is discharged from the treatment plant. Include	s the treatment works and the pipes or other structures through which outfalls from bypass piping, if applicable.
<ul> <li>Each well where wastewater from the treatment plant is injected und</li> </ul>	
works, and 2) listed in public record or otherwise known to the appli	
e. Any areas where the sewage sludge produced by the treatment wo	
f. If the treatment works receives waste that is classified as hazardous truck, rall, or special pipe, show on the map where that hazardous v disposed.	s under the Resource Conservation and Recovery Act (RCRA) by waste enters the treatment works and where it is treated, stored, and/or
B.3. Process Flow Diagram or Schematic. Provide a diagram showing the backup power sources or redundancy in the system. Also provide a wat chlorination and dechlorination). The water balance must show daily ave flow rates between treatment units. Include a brief narrative description	er balance snowing all treatment units, including distinction (e.g., erge flow rates at influent and discharge points and approximate daily
B.4. Operation/Maintenance Performed by Contractor(s).	
Are any operational or maintenance aspects (related to wastewater treat contractor? Yes No	
If yes, list the name, address, telephone number, and status of each corpages if necessary).	ntractor and describe the contractor's responsibilities (attach additional
Name:	
Mailing Address:	
Telephone Number:	
Responsibilities of Contractor:	
treatment works has several different implementation schedules or is pl B.5 for each. (If none, go to question B.6.)	atment, effluent quality, or design capacity of the treatment works. If the anning several improvements, submit separate responses to question
a. List the outfall number (assigned in question A.9) for each outfall t	
b. Indicate whether the planned improvements or implementation sch	
YesNo	

ACILITY	NAME AND PERM	IT NUMBER:					Form Approv OMB Numbe	rea 1714/99 er 2040-0086
С	If the answer to B.5.	b is "Yes," briefly			um daily inflow ra			
d.	Provide dates impos applicable. For imp applicable, Indicate	nentation steps listed b	ation steps listed below, as ned or actual completion dates, as					
			Schedule		tual Completion			
	Implementation Sta	ge	MM / DD / Y	YYY MI	A / DD / YYYY			
	- Begin construction	n						
	- End construction				_//			
	– Begin discharge				_//			
	<ul> <li>Attain operational</li> </ul>	level						
	Have appropriate p	ormits/dearance	s concerning oth	er Federal/State	requirements be	en obtained?	Yes	No
e.	Describe briefly: _	Citiliza Gicuration	MA		•			
	Describe briefly		<i>P1</i> :					
					LULIO P		A STATE OF THE STA	
te: ov me st: pc	sting required by the erflows in this section ethods. In addition, the andard methods for a flutant scans and mu	permitting authorn. All information his data must co analytes not addr	ity <u>for each outh</u> reported must I mply with QA/Q0 essed by 40 CFI	all through which be based on dat C requirements o R Part 136. At a	n emuent is discillated through the collected through the collecte	argeo, Do not gh analysis cor 36 and other a	eters. Provide the indic include information on inducted using 40 CFR opropriate QA/QC requ must be based on at le	Part 136 irements for
F	POLLUTANT		M DAILY	AVERA	GE DAILY DISCH	IARGE		<u> </u>
		DISCI- Conc.	IARGE Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL
CONVE	NTIONAL AND NON	CONVENTIONA	L COMPOUNDS	5.	<u></u>			
NOMMA	IA (as N)	11.50	ma/L	0.5	malL	60	3 50. I	
	NE (TOTAL AL, TRC)	Value of the latest and the latest a	1	AAAAQAAAAA	-	Ogganization - v.	4-03-mbayagar	•
DISSOL	VED OXYGEN	10.5	mall	8.46	malL	26	DO probe	
	KJELDAHL	11	ma 0 //	4.3	ma/L	7	4500 Nova D	
NITROG NITRAT	EN (TKN) E PLUS NITRITE	-	Mg/-		1.3/.	3	353. 2	
NITROG		5.9	Img/L	2.63	+mg//-	13	1	
		3	mall	2.43	mg/L	<del> </del>	1664A	
	HORUS (Total)	4.51	mg/L	1.58	Ima/L	60	4500P-B,F	# <b>*</b>
TOTAL SOLIDS	DISSOLVED (TDS)	422	MalL	392	mall	3	Sma540C	
OTHER Uth	a Law Leve I	3.3	Ing/L	1.36	Ing/L	Ч	EPA ILBI E,	2002
	cury			END OF F	ART B.			
		APPLICATI	ON OVER		ETERMINI	E WHICH	OTHER PART	S OF FOR

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
BASIC APPLICATION INFORMATION	
PART C. CERTIFICATION	
All applicants must complete the Certification Section. Refer to instructions to dete applicants must complete all applicable sections of Form 2A, as explained in the A have completed and are submitting. By signing this certification statement, applications that apply to the facility for which this application is submitted.	oplication Overview. Indicate below which parts of Form 2A you
Indicate which parts of Form 2A you have completed and are submitting:	
Basic Application Information packet Supplemental Application	Information packet:
Part D (Expanded	d Effluent Testing Data)
Part E (Toxicity T	esting: Biomonitoring Data)
Part F (Industrial	User Discharges and RCRA/CERCLA Wastes)
Part G (Combine	d Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.	
I certify under penalty of law that this document and all attachments were prepare designed to assure that qualified personnel properly gather and evaluate the infor who manage the system or those persons directly responsible for gathering the in belief, true, accurate, and complete. I am aware that there are significant penaltie and imprisonment for knowing violations.	mation submitted. Based on my inquiry of the person or persons formation, the information is, to the best of my knowledge and is for submitting false information, including the possibility of fine
Name and official title Philip Livingston R.R.	water/ Sewer Manager
Telephone number 715-685-7878	
Date signed 5-4-18	
Upon request of the permitting authority, you must submit any other information n works or identify appropriate permitting requirements.	ecessary to assess wastewater treatment practices at the treatment

SEND COMPLETED FORMS TO:

### SUPPLEMENTAL APPLICATION INFORMATION

### PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number:	(Com	plete or	nce for e	ach out	fall discha	arging e	ffluent to	waters	of the United	ited States.)	
POLLUTANT	M	AXIMU DISCH	M DAILY ARGE	,	A۱	/ERAGE	DAILY		. ]		
	Conc.	Units	Mass	Units		Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE), C	YANIDE,	PHENOL	S, AND	HARDNE	SS.				· · · · · · · · · · · · · · · · · · ·		
ANTIMONY											
ARSENIC											
BERYLLIUM			****								
CADMIUM			AN EAST-							1111111111111	
CHROMIUM											
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO <sub>3</sub> )											
Use this space (or a separate sheet) t	o provide i	nformatio	on on other	er metals	requested	by the p	ermit write	er.		33.4130.40	

	(Complete once for each outfall					ERAGE	DAILY	DIECH			
POLLUTANT	MAXIMUM DAILY DISCHARGE				A\						
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
OLATILE ORGANIC COMPOUNDS.						·		ri			
ACROLEIN											
ACRYLONITRILE										i	
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE									i		
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

FACILITY NAME AND PERMIT N			Form Approved 1/14/99 OMB Number 2040-0086								
Outfall number:	(Compl	ete onc	e for ear	h outfall	dischard	ing efflu	ent to w	aters of	the United S	tates.)	
POLLUTANT	MAXIMUM DAILY DISCHARGE				ΑN	/ERAGI	DAILY	DISCH	ARGE		
	Conc.		Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											
VINYL CHLORIDE											
Use this space (or a separate sheet) to	provide i	nformatio	n on othe	r volatile	organic co	mpounds	requeste	ed by the	permit writer.		
ACID-EXTRACTABLE COMPOUNDS							<u> </u>				
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											1.0330
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL							_				
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet)	to provide	informa	tion on ot	her acid-e	extractable	compou	nds reque	sted by t	ne permit write	r.	
BASE-NEUTRAL COMPOUNDS.				1					<u> </u>		
ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
				-						_	

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

BENZO(A)ANTHRACENE

BENZO(A)PYRENE

### FACILITY NAME AND PERMIT NUMBER:

Outfall number:	(Complete once for each outfall discharging effluent to waters of the United States.)  MAXIMUM DAILY  AVERAGE DAILY DISCHARGE										
POLLUTANT	N	IAXIMU DISCH	M DAIL' IARGE	Y	A۱						
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
,4 BENZO-FLUORANTHENE	a, eta			112-22-23-55					<u> </u>		
ENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE											
BIS (2-CHLOROETHOXY) METHANE											
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE						_					
2,4-DINITROTOLUENE								_			
2,6-DINITROTOLUENE								_			
1,2-DIPHENYLHYDRAZINE											

Outfall number:	(Complete once for each outfall discharging effluent to waters of the United States.)										
POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE								
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
LUORANTHENE											
LUORENE											
IEXACHLOROBENZENE										i All	
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
NDENO(1,2,3-CD)PYRENE										, Au	
SOPHORONE											
NAPHTHALENE											
NITROBENZENE										44.	
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet)	to provide	informat	ion on oth	er base-r	neutral cor	mpounds	requested	d by the p	ermit writer.		
The state of the s											
Use this space (or a separate sheet)	to provide	informat	ion on oth	ner polluta	ants (e.g.,	pesticide	s) reques	ted by the	permit writer.		

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:			Form Approved 1/14/99 OMB Number 2040-0086
SUPPLEMENTAL APPLICA	TION INFORMATION		
PART E. TOXICITY TESTING DA	<b>T</b> A		
POTWs meeting one or more of the follow the facility's discharge points: 1) POTWs withat are required to have one under 40 CFI.  At a minimum, these results must two species), or the results from results show no appreciable to not include information on combanalysis conducted using 40 CFI.  In addition, submit the results of test conducted during the past of a toxicity reduction evaluation.	ng criteria must provide the results of with a design flow rate greater than or R Part 403); or 3) POTWs required by 1st include quarterly testing for a 12-m four tests performed at least annual icity, and testing for acute and/or chrolned sewer overflows in this section. RP Part 136 methods. In addition, this equirements for standard methods for any other whole effluent toxicity test four and one-half years revealed toxic in, if one was conducted.	of the permitting authority to nonth period within the past by in the four and one-half yonic toxicity, depending on All information reported mes data must comply with Quantity analytes not addressed by a from the past four and or city, provide any information of the past four and or city, provide any information of the past four and or city, provide any information of the past four and or city, provide any information of the past four and or city, provide any information of the past four and or city, provide any information of the past four and the past four and the permitting authority to the permitting authority to the permitting authority to the permitting authority to the past four and the permitting authority to th	submit data for these parameters.  1 year using multiple species (minimum of years prior to the application, provided the the range of receiving water dilution. Do just be based on data collected through A/QC requirements of 40 CFR Part 136 years. If a whole effluent toxicity in on the cause of the toxicity or any results again. Rather, provide the information report the reasons for using alternate lev may be submitted in place of Part E.
E.1. Required Tests.			
Indicate the number of whole effluent chronicacute  E.2. Individual Test Data. Complete the column per test (where each species	following chart for each whole efflue	nt toxicity test conducted in	the last four and one-half years. Allow one being reported.
,	Test number:	Test number:	_
a. Test information.			
Test species & test method number			
Age at initiation of test			
Outfall number			
Dates sample collected			
Date test started			
Duration			
b. Give toxicity test methods follow	ed.		
Manual title			
Edition number and year of publication			
Page number(s)			
c. Give the sample collection meth	od(s) used. For multiple grab sample	es, indicate the number of g	rab samples used.
24-Hour composite			
Grab			
d. Indicate where the sample was	taken in relation to disinfection. (Che	ck all that apply for each)	
Before disinfection			
After disinfection			

After dechlorination

FACILITY NAME AND PERMIT NUMBER:			Form Approved 1/14/99 OMB Number 2040-0086
	Test number:	Test number:	Test number:
e. Describe the point in the treatment	process at which the sample was co	ollected.	
Sample was collected:		11/20/	
f. For each test, include whether the	test was intended to assess chronic t	toxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test performed			
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If laboral	tory water, specify type; if receiving v	vater, specify source.	
Laboratory water			
Receiving water			
i. Type of dilution water. It salt water	r, specify "natural" or type of artificial	sea salts or brine used.	
Fresh water			
Salt water			
j. Give the percentage effluent used	for all concentrations in the test serie	es.	
k. Parameters measured during the	test. (State whether parameter meet	s test method specifications)	
рН			
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC <sub>50</sub>			
95% C.I.	%	%	%
Control percent survival	%	%	%

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

Other (describe)

Page 16 of 21

FACILITY NAME AND PERMIT NUMBER:			Form Approved 1/14/99 OMB Number 2040-0086
Chronic:			
NOEC	%	%	%
IC <sub>25</sub>	%	%	%
Control percent survival	%	%	%
Other (describe)			
m. Quality Control/Quality Assurance	÷.		
Is reference toxicant data available?			
Was reference toxicant test within acceptable bounds?		Li-	
What date was reference toxicant test run (MM/DD/YYYY)?			
Other (describe)			
E.3. Toxicity Reduction Evaluation. Is theYesNoIf yes, on	describe:	submitted biomonitoring test informa	tion, or information regarding the he permitting authority and a
·	(MM/DD/YYYY)		
Summary of results: (see instruction	ns)		

2A YOU MUST COMPLETE.

Page 17 of 21

### SUPPLEMENTAL APPLICATION INFORMATION PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? \_Yes\_\_\_No F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. a. Number of non-categorical SIUs. b. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. (\_\_\_\_continuous or \_\_\_\_intermittent) \_\_ gpd b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. (\_\_\_\_continuous or \_\_\_\_intermittent) F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits b. Categorical pretreatment standards \_\_\_\_Yes \_\_No If subject to categorical pretreatment standards, which category and subcategory?

FACILITY NAME AND PERMIT NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086
F.8. Problems at the Treatment Works Attribu upsets, interference) at the treatment works	ted to Waste Discharged by the in the past three years?	ne SIU. Has the SIU caused or contributed to any problems (e.g.,
	e each episode.	
RCRA HAZARDOUS WASTE RECEIVED E		years received RCRA hazardous waste by truck, rail, or dedicated
pipe?YesNo (go to F.12.)		
.10. Waste Transport. Method by which RCRA		at apply):
Rail	Dedicated Pipe	
F.11. Waste Description. Give EPA hazardous  EPA Hazardous Waste Number	waste number and amount (vol	ume or mass, specify units). <u>Units</u>
	A	
CERCLA (SUPERFUND) WASTEWATER, ACTION WASTEWATER, AND OTHER RI	RCRA REMEDIATION/COI	RRECTIVE EWATER:
		notified that it will) receive waste from remedial activities?
Yes (complete F.13 through F.15.)	No	
Provide a list of sites and the requested in	nformation (F.13 - F.15.) for each	current and future site.
F.13. Waste Origin. Describe the site and type in the next five years).	of facility at which the CERCLA	VRCRA/or other remedial waste originates (or is expected to originat
F.14. Pollutants. List the hazardous constituer known. (Attach additional sheets if neces	nts that are recelved (or are exp sary).	ected to be received). Include data on volume and concentration, if
F.15. Waste Treatment.		
<ul> <li>a. Is this waste treated (or will it be treat</li> </ul>	ed) prior to entering the treatme	nt works?
YesNo		
If yes, describe the treatment (provide	e information about the removal	efficiency):
b. Is the discharge (or will the discharge	he) continuous or intermittent?	
		t, describe discharge schedule.
	END OF PA	ART F.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

a. Give the number of CSO events in the last year.

b. Give the average duration per CSO event.


events (\_\_\_actual or \_\_\_ approx.)


hours (\_\_\_\_actual or \_\_\_\_approx.)

G.4. CSO Events.


FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
c. Give the average volume per CSO event.	
million gallons ( actual or approx.)	
d. Give the minimum rainfall that caused a CSO event in the last year	ır.
inches of rainfall	
G.5. Description of Receiving Waters.	
a. Name of receiving water:	
b. Name of watershed/river/stream system:	
United States Soil Conservation Service 14-digit watershed code	(if known):
c. Name of State Management/River Basin:	
United States Geological Survey 8-digit hydrologic cataloging uni	t code (if known):
G.6. CSO Operations.	
quality standard).	iries, other recreational loss, or violation of any applicable state water
# 14 전 보다 그 : 11 전 11 전 12 전 : 12 전 14 전	PART G. DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.






ED\_004817A\_00000053-00023



ED\_004817A\_00000053-00024

# Bad River WWITP Rough Process Flow Diagram



HYDRAULIC PROFILE

VERTICAL SCALE: 0 2 HORIZOHTAL SCALE: HTS

Plant after trantment

COND ON YOUR DAY

EPA Form 3320. ( (Rev. 37/86) Previous editions may be used.

results = Kjeldahl-nitrogen - 11, Nitrate + Nitrate-N - 5.9 and TDS - 412

COMMENTS AND EXPLANATION OF ANY VIOLATION (Reference all attachments here)

Patrick Hunt, Utility Director

June 14th, we had a power surge which made the effluent meter go back 14,484 gals also both the SBR tanks failed that day. June 11, 2014 - Oil & Grease (hexane) results=<3, TKN, N+N

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

AREA CODE

**ALLE LICEUSSIN** 

715-685-7878

PERMITEE NAME/ABORESS (Include Facility National Continue) ADDRESS: LOCATIONS BAD RIVER WITH & SWRUTILITIES UNKNOWN BAD RIVER BAND P.O. BOX 39 CDANAH, WI 54861 PERMIT NUMBER ALLANGO/WW MONITORING PERIOD %MM/DD/YYYY 6/30/2014 DISCHARGE NUMBER OWR Mailing ZIP CODE: External Outfall DISCHARGE TO BAD RIVER

ATTN: PATRICK HUNT, UTILITY DIRECTOR

ODANAH, WI 54851

FROM

6/1/2014

ី

FACILITY:

NAME

121-011-11	(Q) Q	V-0000-1010	•				Sport Company Common rates	ed in this society of the person in thorons.	explanes the information substitute. When in my society of the persons in those we manage the expension		
5 1	400				リオイで	The state of the s	despects pathoropic	territorial in advance that developed personal	entrally trades patients in the state site for entitle of the entrance indice on the system (expects, gooden odd The entrance is accordance and a booking designative actions that deviabled permanent perspects, gooden odd	IVE OFFICER	NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
DATE	ÓNE	TELEPHONE			Jan		a update mentioned in	- Company of the Comp	in Apparel Just Appendix Control Section Secti		
,						,					former and the first section of the first section o
COMEZH	Week		mg/L	WKLY AVG	THO AVE	**************************************	lb/d	WKLY AVG	MO AVG	PERMIT REQUIREMENT	50530 G 0 Raw Sawaga Influent
1	Twice Every		: 18g	Red Mon	1.00	2000	lb/d	- A - A - A - A - A - A - A - A - A - A	94.0	MEASUREMENT	Solids, total suspended
COMP24	Twice Every		PAC /	2455	8 DX 3			10000	INC. SANS	MELCONOMOR:	Effluent (aross
COMP24	Week		mg/L	WXCX AVG	MO AVG	3 9 6 6	ib/di	191K A VIC	35	PERMIT	00530 1 0
1	Week		mg/L	127.5	83.6	89.2.89.0	pyd	85.5	49.3	SAMPLE	Solids, total suspended
	Week		ů.	MAXIMUM		MINIMUM	***	9000	**************************************	REQUIREMENT	Raw Sewage indusni
GRAB	Twice Every		2	Reg. Mon.		Rea Mon			***************************************	MEASUREMENT	::
GRAB	Week		g	œ  >>	Approx	7,0	*	****	******	SAMPLE	HG
	Twins Evany	-		MICHAEL		MINIMUM				REQUIREMENT	Effluent Gross
GRAB	VVeek		8	** * * * * * * * * * * * * * * * * * *	3 5 5 5 8	0	5 K K K K	*****	******	PERMIT	00400 1:0
	Tuice Every					7 0 7				MEASUREMENT	7,
GRAB	Wice Every		<u>e</u>	os La	*****	4.4	E. C. C. C.	Assives	10 mm	SAMPLE	Maw Sewade impoent
COMPA	Week		mg/L	WKLY AVG	MO AVG	***************************************	ba	Red Mon	Req. Mon.	PERMIT	BOCK CO
O CARDON	Twice Every			Gan Mon	0			. 20 20	90,0	MEASUREMENT	Children of the state of the st
COMP24	1 WICE E VERY		mg/L	231.0	174.6	entent	jb/d	107.0	00.0	SAMPLE	BOD Skriav 20 Deg C
COMP24	Week		J/Gw.	WKLY AVG	30 MO AVG	vivalend	ib/d	SS SS SS	MG 250	REQUIREMENT	80082   0
COMPZA	Week		1/gm	77.0	43.4	e y predig	lb/d	и 4. 3	26.2	SAMPLE MEASUREMENT	BOD, 5-day, 20 Deg. C
	Twing Every					MINIMUM				REQUIREMENT	Effluen Gross
GRAB	Twice Every		mg/L	******	**************************************	S	papose	9,000,00		PERMIT	Production of the
GRAB	Week Week		mg/L	*******	144 g 0 0 0	3.0	e giar principal	*******	007144	SAMPLE	Oxygen, dissolved (DO)
			CHITS	VALUE	VALUE	VALUE	STINU	VALUE	VALUE		PARAMETER
TYPE	OF ANALYSIS	m Z		ENTRATION	QUANTITY OR CONCENTRATION	ρ		QUANTITY OR LOADING	QUANT		
SAMPLE	FREQUENCY	2									

RESULTS FOR JUNE 2014

Page 2

54861

No Discharge



# Commercial Testing Laboratory, Inc.

514 Main Street Phone: 715-962-3121 P.O. Box 526 WWW.CILCOLFAX.COM Colfax, Wisconsin 54730 Fax: 715-962-4030

ANALYTICAL REPORT

Philip Livingston Bad River Reservation-Water/Sewer 54173 Birch Street PO Box 39 Odanah WI 54861 Report Number: 15030692 Page: 1

Report Date: 11/4/15 Date Received: 10/89/15

Sample Number	Sample ID	Test	Results	Method	L0D/L0Q	Date Analyzed
15-W33599	Effluent 10/28/15	Kjeldahl-Nitroqen, æg/L Nitrate+Nitrite-N, mg/L Oil & Grease(Hexane).mg/L	1.2 0.9 (1.4	4500NorgD 353.2 1664A	0.5/1.7 0.1/0.3 1.4/4.6	11/ 4/15 10/30/15 11/ 3/15
		Tot. Dissolved Solids, mg/L	422	5M2540C	1/3	10/30/15

WDNR Laboratory ID Number: 517013980

Authorized by: Pamela Gane, Lab Manager

ED\_004817A\_00000053-00027



# Commercial Testing Laboratory, Inc.

514 Main Street Phone: 715-962-3121 P.O. Box 526 WWW.Cilcolfax.com Colfax, Wisconsin 54730 Fax: 715-962-4030

ANALYTICAL REPORT

Philip Livingston
Bad River Reservation-Water/Sewer
54173 Birch Street
PO Box 39
Odanah WI 54861

Report Number: 16033723 Page: 1

Report Date: 12/ 7/16 Date Received: 12/ 2/16

Sample Number	Sample ID	Test	Results	Method	LOD/LOQ	Date Analyzed
16-W37466	Effluent 12/ 1/16	Kjeldahl-Nitrogen, mg/L Nitrate÷Nitrite-N, mg/L Oil & Grease(Hexane),mg/L Tot.Dissolved Solids,mg/L	0,7 1,1 2,9 34원	4500NangD 353.2 1664A SM2540C	0.5/1.7 0.1/0.3 1.4/4.6 1/3	12/ 7/16 12/ 2/16 12/ 5/16 12/ 2/16

WDNR Laboratory ID Number: 617013980

Authorized by: Pamela Sane, Lab Manager

A Alana